

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name	: Foamguard Z
Product code	: 112084E
Use of the Substance/Mixture	: Cleaning product
Substance type:	: Mixture

For professional users only.

Product dilution information : No dilution information provided.	
--	--

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Sanitary cleaner. Spray and wipe manual process
Recommended restrictions on use	:	Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company :	Ecolab Ltd. PO Box 11; Winnington Avenue Northwich, Cheshire, United Kingdom CW8 4DX + 44 (0)1606 74488 ccs@ecolab.com
-----------	--

1.4 Emergency telephone number

Emergency telephone number	:	+441618841235 +32-(0)3-575-5555 Trans-European
Poison Information Centre telephone number	:	For medical professionals only: 0344 892 0111

Date of Compilation/Revision : 28.07.2023 Version : 3.0

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290
Acute toxicity, Category 4	H302
Skin corrosion, Category 1	H314
Serious eye damage, Category 1	H318
Chronic aquatic toxicity, Category 3	H412

2.2 Label elements

Labelling (REGULATION (E Hazard pictograms) No 1272/2008)	
Signal Word	: Danger	
Hazard Statements	 H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effect 	
Supplemental Hazard Statements	: EUH071 Corrosive to the respiratory tract.	
Precautionary Statements	: Prevention: P260 Do not breathe vapours. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection.	!
	Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immedia all contaminated clothing. Rinse skin with wa or shower.	
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with wate for several minutes. Remove contact lenses present and easy to do. Continue rinsing.	
	P310 Immediately call a POISON CENTER/doctor	ſ.

Hazardous components which must be listed on the label: Phosphoric acid

2.3 Other hazards

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification REGULATION (EC) No 1272/2008	Concentration : [%]
Phosphoric acid	7664-38-2 231-633-2 01-2119485924-24	Nota B Skin corrosion Sub-category 1B; H314 Serious eye damage Category 1; H318 Corrosive to metals Category 1; H290 Acute toxicity Category 4; H302 Serious eye damage/eye irritation Category 1 > 25 - 100 % Serious eye damage/eye irritation	>= 30 - < 50

		Category 2 > 10 - 25 % Skin corrosion/irritation Category 1B > 25 - 100 % Skin corrosion/irritation Category 2 > 10 - 25 %	
2-(2-butoxyethoxy)ethanol	112-34-5 203-961-6 01-2119475104-44	Eye irritation Category 2; H319	>= 5 - < 1
Dodecyldimethylamine oxide	1643-20-5 216-700-6 01-2120068065-58	Acute toxicity Category 4; H302 Skin irritation Category 2; H315 Serious eye damage Category 1; H318 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 2; H411	>=1-<2
Phosphoric acid, C11-14- isoalkyl esters, C13-rich	154518-38-4 01-2119976356-25	Skin irritation Category 2; H315 Serious eye damage Category 1; H318 Chronic aquatic toxicity Category 2; H411	>= 1 - < 2

4.1 Description of first aid measures

In case of eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	 Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	 Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.

Foamguard Z		
5.2 Special hazards arising from the substance or mixture		
Specific hazards during	: Not flammable or combustible.	

fire	fighting		
	zardous combustion ducts	:	Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) Oxides of phosphorus
5.3 Adv	vice for firefighters		
	ecial protective equipment firefighters	:	Use personal protective equipment.
Fur	ther information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency : responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

6.2 Environmental precautions

__

Environmental precautions : Do not allow contact with soil, surface or ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up :	Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
---------------------------	---

6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Foamguard Z		
Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.	

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep away from strong bases. Absorb spillage to prevent material damage. Keep out of reach of children. Keep container tightly closed. Keep only in original packaging. Store in suitable labeled containers.
Storage temperature	:	0 °C to 40 °C
Packaging material	:	Unsuitable material: Mild steel, Aluminium Suitable material: Plastic material

7.3 Specific end uses

Specific use(s)	: Sanitary cleaner. Spray and wipe manual process
-----------------	---

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Phosphoric acid	7664-38-2	TWA	1 mg/m3	UKCOSSTD
		STEL	2 mg/m3	UKCOSSTD
2-(2-	112-34-5	TWA	10 ppm	UKCOSSTD
butoxyethoxy)ethanol			67.5 mg/m3	
		STEL	15 ppm	UKCOSSTD
			101.2 mg/m3	

DNFI

DNEL				
2-(2-butoxyethoxy)ethanol	:	End Use: Workers		
		Exposure routes: Inhalation		
		Potential health effects: Short-term - local		
		Value: 101.2 mg/m3		
		End Use: Workers		
		Exposure routes: Dermal		
		Potential health effects: Long-term systemic effects		
		Value: 20 mg/kg		
		End Use: Workers		
		Exposure routes: Inhalation		
		•		
		Potential health effects: Long-term systemic effects		
		Value: 67.5 mg/m3		

PNEC

PNEC			
2-(2-butoxyethoxy)ethanol	:	Fresh water	
		Value: 1 mg/l	
		Marine water	
		Value: 0.1 mg/l	
		Intermittent use/release	
		Value: 3.9 mg/l	
		Sowage treatment plant	
		Sewage treatment plant Value: 200 mg/l	
		value. 200 mg/i	
		Sediment	
		Value: 4 mg/kg	
		Soil	
		Value: 0.4 mg/kg	
		Oral	
		Value: 56 mg/kg	

8.2 Exposure controls

Appropriate engineering controls			
Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.	
Individual protection measure	es		
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.	
Eye/face protection (EN 166)	:	Safety goggles Face-shield	
Hand protection (EN 374)	:	Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication	

Foamguard Z				
	of degradation or chemical breakthrough.			
Skin and body protection (EN 14605)	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing including appropriate safety shoes			
Respiratory protection (EN 143, 14387)	: When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or equivalent, with filter type:P			
Environmental exposure controls				
General advice	: Consider the provision of containment around storage vessels.			

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: light yellow
Odour	: slight
рН	: 0.7 - 1.3, 100 %
Flash point	: Not applicable.
Odour Threshold	: Not applicable and/or not determined for the mixture
Melting point/freezing point	: Not applicable and/or not determined for the mixture
Initial boiling point and boiling range	: 100 °C
Evaporation rate	: Not applicable and/or not determined for the mixture
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture
Upper explosion limit	: Not applicable and/or not determined for the mixture
Lower explosion limit	: Not applicable and/or not determined for the mixture
Vapour pressure	: Not applicable and/or not determined for the mixture
Relative vapour density	: Not applicable and/or not determined for the mixture
Relative density	: 1.16 - 1.2
Water solubility	: soluble
Solubility in other solvents	: Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water	: Not applicable and/or not determined for the mixture
Auto-ignition temperature	: Not applicable and/or not determined for the mixture
Thermal decomposition	: Not applicable and/or not determined for the mixture
Viscosity, kinematic	: Not applicable and/or not determined for the mixture
Explosive properties	: Not applicable and/or not determined for the mixture
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Bases

Mild steel Aluminium

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of exposure	:	Inhalation, Eye contact, Skin contact
Product		
Acute oral toxicity	:	Acute toxicity estimate : > 2,000 mg/kg
		Acute toxicity estimate : 1,610 mg/kg
Acute inhalation toxicity	:	There is no data available for this product.
Acute dermal toxicity	:	There is no data available for this product.
Skin corrosion/irritation	:	There is no data available for this product.
Serious eye damage/eye irritation	:	There is no data available for this product.

Foamguard Z	
Respiratory or skin sensitization	: There is no data available for this product.
Carcinogenicity	: There is no data available for this product.
Reproductive effects	: There is no data available for this product.
Germ cell mutagenicity	: There is no data available for this product.
Teratogenicity	: There is no data available for this product.
STOT - single exposure	: There is no data available for this product.
STOT - repeated exposure	: There is no data available for this product.
Aspiration toxicity	: There is no data available for this product.
Components	
Acute oral toxicity	: Phosphoric acid LD50 rat: > 300 mg/kg
	2-(2-butoxyethoxy)ethanol LD50 rat: 3,306 mg/kg
	Dodecyldimethylamine oxide LD50 rat: 1,064 mg/kg
Components	
Acute dermal toxicity	: 2-(2-butoxyethoxy)ethanol LD50 rabbit: 2,764 mg/kg
Potential Health Effects	
Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Harmful if swallowed. Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Experience with human exp	osure
Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

Section: 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Environmental Effects	:	Harmful to aquatic life with long lasting effects.

amguard Z		
Toxicity to fish	:	no data available
Toxicity to daphnia and other aquatic invertebrates	:	no data available
Toxicity to algae	:	no data available
Components		
Toxicity to fish	:	2-(2-butoxyethoxy)ethanol96 h LC50 Fish: 1,300 mg/l
		Dodecyldimethylamine oxide96 h LC50 Lepomis macrochirus (Bluegill sunfish): 31.8 mg/l
		Phosphoric acid, C11-14-isoalkyl esters, C13-rich96 h LC50 Oncorhynchus mykiss (rainbow trout): 24 mg/l Test substance: Information given is based on data obtained from similar substances.
Components		
Toxicity to daphnia and other aquatic invertebrates	:	Phosphoric acid48 h EC50 Daphnia magna (Water flea): > 100 mg/l
		Dodecyldimethylamine oxide48 h EC50 Daphnia magna (Water flea): 3.9 mg/l
		Phosphoric acid, C11-14-isoalkyl esters, C13-rich48 h EC50 Daphnia magna (Water flea): 6.31 mg/l Test substance: Information given is based on data obtained from similar substances.
Components		
Toxicity to algae	:	Phosphoric acid72 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l
		Phosphoric acid, C11-14-isoalkyl esters, C13-rich72 h EC50 Pseudokirchneriella subcapitata (algae): 150 mg/l Test substance: Information given is based on data obtained from similar substances. 72 h NOEC Pseudokirchneriella subcapitata (algae): 10 mg/l
2 Persistence and degradabil	ity	
Product		
Biodegradability	:	The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC
Components		
Biodegradability	:	Phosphoric acidResult: Not applicable - inorganic
		2-(2-butoxyethoxy)ethanolResult: Readily biodegradable.

Dodecyldimethylamine oxideResult: Readily biodegradable.

Phosphoric acid, C11-14-isoalkyl esters, C13-richResult: Poorly biodegradable

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product	: Do not contaminate storm water drains, natural waterways or soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	: Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number	: 1805
14.2 UN proper shipping	: PHOSPHORIC ACID SOLUTION
name	

Foamguard Z	
14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	: 8 : III : No : None
Air transport (IATA) 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	 1805 Phosphoric acid, solution 8 III No None
Sea transport (IMDG/IMO) 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	 1805 PHOSPHORIC ACID SOLUTION 8 III No None Not applicable.

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

D	ture				
	according to Detergents Regulation EC 648/2004	:	less than 5 %: Non-ionic surfactants		
	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major- accident hazards involving dangerous substances.	:	Not applicable.		
	Candidate List of Substances of Very High Concern for Authorisation	:	Not applicable.		
	National Regulations				
	Take note of Dir 94/33/EC on the protection of young people at work.				
	Other regulations	:	The Chemicals (Hazard Information and Packaging for Supply) Regulations. The Control of Substances Hazardous to Health Regulations. Health and Safety at Work Act.		

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification	
Corrosive to metals 1, H290	Based on product data or assessment	
Acute toxicity 4, H302	Calculation method	
Skin corrosion 1, H314	Based on product data or assessment	
Serious eye damage 1, H318	Based on product data or assessment	
Chronic aquatic toxicity 3, H412	Calculation method	

Full text of H-Statements

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Annex: Exposure Scenarios	

Exposure Scenario: Sanitary cleaner. Spray and wipe manual process

Life Cycle Stage	:	Widespread use by professional workers	
Product category	:	PC35	Washing and cleaning products (including solvent based products)

Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems
Daily amount per site	:	7.5 kg	
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant

Contributing scenario controlling worker exposure for:

Process category	:	PROC10	Roller application or brushing			
Exposure duration	:	480 min				
Operational conditions and risk management measures	:	Indoor				
		Local Exha	ust Ventilation is not required			
General ventilation		Ventilation I	rate per hour	1		
Skin Protection	:	see section	8			
Respiratory Protection	:	see section	8			
Contributing scenario controlling worker exposure for:						

Process category	:	PROC8a	Transfer of substance or preparation (charging/
------------------	---	--------	---

			discharging) from/ to vessels/ large containers at non- dedicated facilities					
Exposure duration	:	60 min						
Operational conditions and risk management measures	:	Indoor						
		Local Exha	ust Ventilation is not required					
General ventilation		Ventilation	rate per hour 1					
Skin Protection	:	see section	8					
Respiratory Protection	:	see section	8					
Contributing scenario controlling worker exposure for:								
Process category	:	PROC11	Non industrial spraying					
Exposure duration	:	60 min						
Operational conditions and risk management measures	:	Indoor						
		Local Exha	ust Ventilation is not required					
General ventilation		Ventilation	rate per hour 1					
Skin Protection	:	see section	8					
Respiratory Protection	:	see section	8					
Exposure Scenario: Kitchen	cle	aner. Manua	al process					
Life Cycle Stage	:	Widespread	d use by professional workers					
Product category	:	PC35	Washing and cleaning products (including solvent based products)					
Contributing scenario contro	ollir	ng environm	ental exposure for:					
Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems					
Daily amount per site	:	7.5 kg						
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant					
Contributing scenario contro	ollir	ng worker ex	xposure for:					
Process category	:	PROC10	Roller application or brushing					
Exposure duration	:	480 min						
Operational conditions and	:	Indoor						

risk management measures

Local	Exhaust	Ventilation	is	not	required
Local	LANGUSL	ventilation	10	ιoι	required

General ventilation		Ventilation rate per hour	1
Skin Protection	:	see section 8	
Respiratory Protection	:	see section 8	

Contributing scenario controlling worker exposure for:

Process category	:	PROC8a	Transfer of substance or preparation (charg discharging) from/ to vessels/ large contained dedicated facilities	•
Exposure duration	:	60 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	see section	8	
Respiratory Protection	:	see section	8	