

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name	:	TOPCLIN Sanitary		
UFI	:	ES5Y-X0KK-HJ02-UGP3		
Product code	:	118624E		
Use of the Substance/Mixture	:	Sanitary cleaner		
Substance type:	:	Mixture		
		For professional users only.		
Product dilution information	:	No dilution information provided.		
1.2 Relevant identified uses of	the	substance or mixture and uses advised against		
Identified uses	:	Sanitary cleaner. Manual process		
Recommended restrictions on use	:	Reserved for industrial and professional use.		
1.3 Details of the supplier of the safety data sheet				
Company	:	Ecolab a.s Innspurten 9 Postboks 6440-Etterstad, N-0605 Oslo Norway +47 22 68 18 00 NO-kundeservice@ecolab.com		
1.4 Emergency telephone num	ber			
Emergency telephone number	:	+4785295496 +32-(0)3-575-5555 Trans-European		
Poison Information Centre telephone number	:	+47 22 59 13 00		
Date of Compilation/Revision : 14.11.2023 Version : 1.1 Section: 2. HAZARDS IDENTIFICATION				

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling:

Special labelling of certain : Safety data sheet available on request. mixtures

2.3 Other hazards

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification REGULATION (EC) No 1272/2008	Concentration : [%]
citric acid	77-92-9 201-069-1 01-2119457026-42	Eye irritation Category 2; H319 Specific target organ toxicity - single exposure Category 3; H335	>= 2.5 - < 5
Linear(C12-C14)alkanol, ethoxylated, sulfated, sodium salt	68891-38-3 500-234-8 01-2119488639-16	Skin irritation Category 2; H315 Serious eye damage Category 1; H318 Chronic aquatic toxicity Category 3; H412 Serious eye damage/eye irritation Category 1 10 - 100 % Serious eye damage/eye irritation Category 2A > 5 - < 10 %	>= 1 - < 2.5
For the full text of the H-S	statements mentioned	in this Section, see Section 16.	

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment

: No specific measures identified.

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
	Unsuitable extinguishing media	:	None known.
5.2	2 Special hazards arising from	th	e substance or mixture
	Specific hazards during firefighting	:	Not flammable or combustible.
	Hazardous combustion products	:	Depending on combustion properties, decomposition products may include following materials: Carbon oxides Sulphur oxides metal oxides
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Use personal protective equipment.
	Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	:	Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

6.2 Environmental precautions

Environmental precautions	:	No specia	l environmenta	l precautions	required.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	ne di di F	top leak if safe to do so. Contain spillage, and then collect with on-combustible absorbent material, (e.g. sand, earth, atomaceous earth, vermiculite) and place in container for isposal according to local / national regulations (see section 13). lush away traces with water. For large spills, dike spilled material r otherwise contain material to ensure runoff does not reach a aterway.
-------------------------	---------------------	---

6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8.

See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	:	Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Hygiene measures	:	Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	:	0 °C to 30 °C

7.3 Specific end uses

Specific use(s)	: Sanitary cleaner. Manual process
-----------------	------------------------------------

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

DNEL	
Linear(C12-C14)alkanol,	: End Use: Workers
ethoxylated, sulfated, sodium	Exposure routes: Inhalation
salt	Potential health effects: Long-term systemic effects
	Value: 175 mg/m3
	End Use: Workers
	Exposure routes: Dermal
	Potential health effects: Long-term systemic effects
	Value: 2750 mg/m3
	-
	End Use: Workers
	Exposure routes: Dermal
	Potential health effects: Long-term local effects
	Value: 0.132 mg/m3
	End Use: Consumers
	Exposure routes: Inhalation
	Potential health effects: Long-term systemic effects
	Value: 52 mg/m3
	End Use: Consumers
	Exposure routes: Dermal
	Potential health effects: Long-term systemic effects Value: 1650 mg/m3
	End Use: Consumers
	Exposure routes: Dermal
	Potential health effects: Long-term local effects

	Value: 0.079 mg/m3 End Use: Consumers Exposure routes: Oral Potential health effects: Long-term systemic effects Value: 15 mg/m3	
oxydipropanol	 End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 238 mg/m3 End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 84 mg/cm2 End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 70 mg/m3 End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 70 mg/m3 End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 51 mg/cm2 End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 51 mg/cm2 End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 24 ppm 	

PNEC

PNEC		
Linear(C12-C14)alkanol,	:	Fresh water
ethoxylated, sulfated, sodium salt		Value: 0.24 mg/l
		Marine water
		Value: 0.024 mg/l
		Sewage treatment plant
		Value: 10000 mg/l
		Fresh water sediment
		Value: 0.917 mg/kg
		Marine sediment
		Value: 0.092 mg/kg
		Soil
		Value: 7.5 mg/kg
oxydipropanol	:	Fresh water
		Value: 0.1 mg/l
		Marine water

Value: 0.01 mg/l
Fresh water Value: 1 mg/l
Intermittent use/release Value: 2 mg/l
Fresh water sediment Value: 0.238 mg/kg
Marine sediment Value: 0.0238 mg/kg
Sewage treatment plant Value: 1000 mg/l
Soil Value: 0.0253 mg/kg
Oral Value: 313 mg/kg

8.2 Exposure controls

Appropriate engineering controls

Engineering measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measure	es	
Hygiene measures	:	Wash hands before breaks and immediately after handling the product.
Eye/face protection (EN 166)	:	No special protective equipment required.
Hand protection (EN 374)	:	No special protective equipment required.
Skin and body protection (EN 14605)	:	No special protective equipment required.
Respiratory protection (EN 143, 14387)	:	None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.
Environmental evidence controle		

Environmental exposure controls

General advice : Consider the provision of containment around storage vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	: liquid	
Colour	: clear, red	
Odour	: Perfumes, fragrances	
рН	: 2.1 - 2.4, 100 %	
Particle characteristics		
Assessment	: not applicable	
Particle size	: not applicable	
Particle Size Distribution	: not applicable	
Dustiness	: not applicable	
Specific surface area	: not applicable	
Surface charge/Zeta potential	: not applicable	
Shape	: not applicable	
Crystallinity	: not applicable	
Surface treatment /Coatings	: not applicable	
Flash point	: Not applicable.	
Odour Threshold	: Not applicable and/or not determined for the mixture	
Melting point/freezing point	: Not applicable and/or not determined for the mixture	
Boiling point, initial boiling point and boiling range	: >100 °C	
Evaporation rate	: Not applicable and/or not determined for the mixture	
Flammability	: Not applicable and/or not determined for the mixture	
Upper explosion limit	: Not applicable and/or not determined for the mixture	
Lower explosion limit	: Not applicable and/or not determined for the mixture	
Vapour pressure	: Not applicable and/or not determined for the mixture	
Relative vapour density	: Not applicable and/or not determined for the mixture	
Density and / or relative density	: 1.0202 - 1.0212	
Water solubility	: soluble	
Solubility in other solvents	: Not applicable and/or not determined for the mixture	
Partition coefficient: n- octanol/water (log value)	: Not applicable and/or not determined for the mixture	
Auto-ignition temperature	: Not applicable and/or not determined for the mixture	
Thermal decomposition	: Not applicable and/or not determined for the mixture	
Viscosity, kinematic	: Not applicable and/or not determined for the mixture	
Explosive properties	: Not applicable and/or not determined for the mixture	
Oxidizing properties	: The substance or mixture is not classified as oxidizing	

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Carbon oxides Sulphur oxides metal oxides

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure	
Product	
Acute oral toxicity	: There is no data available for this product.
Acute inhalation toxicity	: There is no data available for this product.
Acute dermal toxicity	: There is no data available for this product.
Skin corrosion/irritation	: There is no data available for this product.
Serious eye damage/eye irritation	: There is no data available for this product.
Respiratory or skin sensitization	: There is no data available for this product.
Carcinogenicity	: There is no data available for this product.
Reproductive effects	: There is no data available for this product.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

TOPCLIN Sanitary

Germ cell mutagenicity	: There is no data available for this product.
Teratogenicity	: There is no data available for this product.
STOT - single exposure	: There is no data available for this product.
STOT - repeated exposure	: There is no data available for this product.
Aspiration toxicity	: There is no data available for this product.
Components	
Acute oral toxicity	: citric acid LD50 rat: 11,700 mg/kg
	Linear(C12-C14)alkanol, ethoxylated, sulfated, sodium salt LD50 rat: 3,350 mg/kg
Components	
Acute dermal toxicity	: Linear(C12-C14)alkanol, ethoxylated, sulfated, sodium salt LD50 rat: 8,000 mg/kg
Potential Health Effects	
Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Experience with human ex	posure
Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.
.2 Information on other haza	ırds
Endocrine disrupting properties	: The substance/mixture does not contain components considere to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/210 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
Further information	: no data available
ection: 12. ECOLOGICAL INF	ORMATION

Environmental Effects : This product has no known ecotoxicological effects.

Product				
Toxicity to fish	: no da	ata available		
Toxicity to daphnia and other aquatic invertebrates	: no da	ata available		
Toxicity to algae	: no da	ata available		
Components				
Toxicity to fish	: citric 96 h	acid LC50 Fish: > 100 mg/l		
		ar(C12-C14)alkanol, ethoxylated, sulfated, sodium salt LC50 Danio rerio (zebra fish): 7.1 mg/l		
Components				
Toxicity to daphnia and other aquatic invertebrates		ar(C12-C14)alkanol, ethoxylated, sulfated, sodium salt EC50 Daphnia magna (Water flea): 7.4 mg/l		
Components				
Toxicity to algae		ar(C12-C14)alkanol, ethoxylated, sulfated, sodium salt EC50 Desmodesmus subspicatus (green algae): 27.7 mg/l		
12.2 Persistence and degradability				
Product				
Biodegradability	acco	surfactants contained in the product are biodegradable rding to the requirements of the detergent regulation 2004/EC		
Components				
Biodegradability	: citric Resu	acid It: Readily biodegradable.		
		ar(C12-C14)alkanol, ethoxylated, sulfated, sodium salt ilt: Readily biodegradable.		
12.3 Bioaccumulative potential				

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

12.7 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product	:	Diluted product can be flushed to sanitary sewer if regulations permit.
Contaminated packaging	:	Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	:	Organic wastes containing not dangerous substances with concentration $>= 0.1\%$. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

: Not dangerous goods
: Not dangerous goods

Air transport (IATA)

14.1 UN number or ID number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name 14.3 Transport hazard	: Not dangerous goods
class(es) 14.4 Packing group	: Not dangerous goods

14.5 Environmental hazards 14.6 Special precautions for user	Not dangerous goodsNot dangerous goods
Sea transport (IMDG/IMO)	
14.1 UN number or ID number	: Not dangerous goods
14.2 UN proper shipping name	: Not dangerous goods
14.3 Transport hazard	: Not dangerous goods

class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	
14.7 Maritime transport in	: Not dangerous goods
bulk according to IMO	
instruments	

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents Regulation EC 648/2004	:	less than 5 %: Anionic surfactants Other constituents: Perfumes
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major- accident hazards involving dangerous substances.	:	Not applicable.
Candidate List of Substances of Very High Concern for Authorisation	:	Not applicable.
National Regulations		
Take note of Dir 94/33/EC on	th	a protection of young people at work

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : Health and Safety at Work Act.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Not a hazardous substance or mixture.	Calculation method

Full text of H-Statements

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Annex: Exposure Scenarios

Exposure Scenario: Sanitary cleaner. Manual process

Life Cycle Stage	:	Widespread use by professional workers	
Product category	:	PC35	Washing and cleaning products (including solvent based products)

Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems
Daily amount per site	:	7.5 kg	
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant

Contributing scenario controlling worker exposure for:

Process category	:	PROC10	Roller application or brushing	
Exposure duration	:	480 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	see section	8	
Respiratory Protection	:	see section	8	

Contributing scenario controlling worker exposure for:

Process category	:	PROC8a	Transfer of substance or preparation (chargi discharging) from/ to vessels/ large containe dedicated facilities	•
Exposure duration	:	60 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	see section	8	
Respiratory Protection	:	see section	8	