Safety Data Sheet





Suma Med Rinse

Revision: 2023-12-12 Version: 08.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Med Rinse

UFI: 3VX4-S0FE-F00R-24QD

1.2 Relevant identified uses of the substance or mixture and uses advised against

Hard surface cleaner. Product use:

for cleaning of medical devices

For professional use only. Uses advised against:

Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8b_2 AISE_SWED_PW_1_1 AISE_SWED_PW_4_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified as hazardous

2.2 Label elements

Hazard statements:

EUH210 - Safety data sheet available on request.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH	Classification	Notes	Weight
alkyl alcohol alkoxylate	[4]	111905-53-4	''	Acute toxicity - Oral, Category 4 (H302) Eye irritation, Category 2 (H319) Chronic aquatic toxicity, Category 3 (H412)		3-10
sodium benzoate	208-534-8	532-32-1	[6]	Eye irritation, Category 2 (H319)		1-3
sodium cumenesulphonate	239-854-6	15763-76-5	01-211948941 1-37	Eye irritation, Category 2 (H319)		1-3
3-iodo-2-propynylbutylcarbamate	259-627-5	55406-53-6	5-60	Acute toxicity - Inhalation, Category 3 (H331) Specific target organ toxicity - Repeated exposure, Category 1 (H372) Acute toxicity - Oral, Category 4 (H302)		0.01-0.1

	Serious eye damage, Category 1 (H318) Skin sensitisation, Category 1 (H317) Acute aquatic toxicity, Category 1 M=10 (H400)	
	Chronic aquatic toxicity, Category 1 M=1 (H410)	

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical

attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:No known effects or symptoms in normal use.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless adviced by Diversey.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure
DNEL/DMEL oral exp

oral exposure - Consumer (ma/ka hw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
sodium benzoate	-	-	-	16.6
sodium cumenesulphonate	-	-	-	3.8
3-iodo-2-propynylbutylcarbamate	-	-	=	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
sodium benzoate	No data available	-	4.5 mg/cm ² skin	62.5
sodium cumenesulphonate	-	-	-	136.25
3-iodo-2-propynylbutylcarbamate	-	-	-	2

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
sodium benzoate	No data available	-	2.7 mg/cm ² skin	20.8
sodium cumenesulphonate	-	-	-	68.1
3-iodo-2-propynylbutylcarbamate	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
sodium benzoate	-	-	0.1	3
sodium cumenesulphonate	-	-	-	26.9
3-iodo-2-propynylbutylcarbamate	1.16	0.07	1.16	0.023

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
sodium benzoate	-	-	1.3	2.1
sodium cumenesulphonate	-	-	-	6.6
3-iodo-2-propynylbutylcarbamate	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
sodium benzoate	0.13	0.013	0.305	10
sodium cumenesulphonate	0.23	0.023	2.3	100
3-iodo-2-propynylbutylcarbamate	0.001	0	0.001	0.44

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
sodium benzoate	1.76	0.176	-	-
sodium cumenesulphonate	0.862	0.0862	0.037	-
3-iodo-2-propynylbutylcarbamate	0.017	0.002	0.005	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls:

Appropriate organisational controls:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Automatic transfer and dilution	AISE_SWED_PW_8b_2	PW	PROC 8b	60	ERC8b

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321 / EN 166).

Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 0.05

Appropriate engineering controls:No special requirements under normal use conditions.
Appropriate organisational controls:
No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

No special requirements under normal use conditions.

Personal protective equipment

Environmental exposure controls:

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid
Colour: Clear , Colourless
Odour: Product specific
Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol alkoxylate	No data available		
sodium benzoate	Product decomposes before boiling	Method not given	
sodium cumenesulphonate	No data available		
3-iodo-2-propynylbutylcarbamate	Product decomposes before boiling	OECD 103 (EU A.2)	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.
Flash point (°C): Not determined
Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

ISO 4316

ISO 4316

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: ≈ 7 (neat)
Dilution pH: ≈ 7 (0.05 %)

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl alcohol alkoxylate	No data available		
sodium benzoate	556	Method not given	20
sodium cumenesulphonate	493 Soluble	Method not given	20
3-iodo-2-propynylbutylcarbamate	0.168	OECD 105 (EU A.6)	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined See substance data

Substance data, vapour pressure

Ingredient(s)	Value	Method	Temperature
	(Pa)		(°C)
alkyl alcohol alkoxylate	No data available		
sodium benzoate	No data available		
sodium cumenesulphonate	No data available		
3-iodo-2-propynylbutylcarbamate	0.000045	OECD 104 (EU A.4)	25

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

Relative density: ≈ 1.02 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition productsNone known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	ATE Oral
		(mg/kg)			time (h)	(mg/kg)
alkyl alcohol alkoxylate	LD 50	≥ 300-2000	Rat	Method not given		Not established
sodium benzoate	LD 50	> 2000	Rat	Weight of evidence		Not established
sodium cumenesulphonate	LD 50	> 7000	Rat	Method not given		Not established
3-iodo-2-propynylbutylcarbamate	LD 50	1056	Rat	OECD 401 (EU B.1)		1056

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
alkyl alcohol alkoxylate		No data available				Not established
sodium benzoate	LD 50	> 2000	Rabbit	Method not given		Not established
sodium cumenesulphonate	LD 50	> 2000	Rabbit	Method not given		Not established
3-iodo-2-propynylbutylcarbamate	LD 50	> 2000	Rabbit	EPA OPP 81-2	24	Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate		No data available			
sodium benzoate	LC 50	> 12.2	Rat	Method not given	4
sodium cumenesulphonate	LC 50	> 5 (mist) No mortality observed	Rat	Read across	3.87
3-iodo-2-propynylbutylcarbamate	LC 50	0.763 (mist)	Rat	Method not given	4

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
alkyl alcohol alkoxylate	Not established	Not established	Not established	Not established
sodium benzoate	Not established	Not established	Not established	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established
3-iodo-2-propynylbutylcarbamate	Not established	0.763	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Skiri irritation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
sodium benzoate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
3-iodo-2-propynylbutylcarbamate	Not irritant	Rabbit	EPA OPP 81-5	4 hour(s)

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium benzoate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
3-iodo-2-propynylbutylcarbamate	Severe damage	Rabbit	EPA OPP 81-4	0.5 minute(s)

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	No data available			
sodium benzoate	No data available			
sodium cumenesulphonate	No data available			
3-iodo-2-propynylbutylcarbamate	No data available			

SensitisationSensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	No data available			
sodium benzoate	Not sensitising	Guinea pig Mouse	Read across	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
3-iodo-2-propynylbutylcarbamate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	No data available			
sodium benzoate	No data available			
sodium cumenesulphonate	No data available			
3-iodo-2-propynylbutylcarbamate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol alkoxylate	No data available		No data available	
sodium benzoate	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence for mutagenicity	Method not given
sodium cumenesulphonate	No evidence for mutagenicity, negative test results		No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
3-iodo-2-propynylbutylcarbamate	No evidence for mutagenicity		No data available	

Carcinogenicity

Ingredient(s)	Effect			
alkyl alcohol alkoxylate	No data available			
sodium benzoate	No evidence for carcinogenicity, negative test results			
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results			
3-iodo-2-propynylbutylcarbamate	No data available			

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol alkoxylate			No data available			time	reported
sodium benzoate	NOAEL	Developmental toxicity	≥ 175	Mouse Rat Rabbit	Not known		No developmental toxicity
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		No known significant effects or critical hazards
3-iodo-2-propynylbutylc arbamate		Developmental toxicity Teratogenic effects	-				No evidence for developmental toxicity No evidence for teratogenic effects

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol alkoxylate		No data available				

sodium benzoate		No data available			
sodium cumenesulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)	No effects observed
3-iodo-2-propynylbutylcarbamate		No data available			

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol alkoxylate		No data				
		available				
sodium benzoate		No data				
		available				
sodium cumenesulphonate		No data				
		available				
3-iodo-2-propynylbutylcarbamate		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol alkoxylate		No data available				
sodium benzoate		No data available				
sodium cumenesulphonate		No data available				
3-iodo-2-propynylbutylcarbamate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol alkoxylate			No data available					
sodium benzoate			No data available					
sodium cumenesulphonate			No data available					
3-iodo-2-propynylbutylc arbamate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol alkoxylate	No data available
sodium benzoate	No data available
sodium cumenesulphonate	Not applicable
3-iodo-2-propynylbutylcarbamate	No data available

STOT-repeated exposure

5 TO 1-repeated exposure	
Ingredient(s)	Affected organ(s)
alkyl alcohol alkoxylate	No data available
sodium benzoate	No data available
sodium cumenesulphonate	Not applicable
3-jodo-2-propynylbutylcarbamate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting propertiesEndocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	LC 50	> 1- 10	Leuciscus idus	Method not given	96
sodium benzoate	LC 50	> 100	Pimephales promelas	Similar to OECD 203	96
sodium cumenesulphonate	LC 50	> 1000	Fish	EPA-OPPTS 850.1075	96
3-iodo-2-propynylbutylcarbamate	LC 50	0.067	Oncorhynchus mvkiss	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	EC 50	> 1 - 10	Daphnia magna Straus	Method not given	48
sodium benzoate	EC 50	> 100	Daphnia magna Straus	Non guideline test	96
sodium cumenesulphonate	EC 50	> 1000	Daphnia magna Straus	OECD 202 (EU C.2)	48
3-iodo-2-propynylbutylcarbamate	EC 50	0.16	Daphnia magna Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate		No data available			
sodium benzoate	EC 50	> 30.5	Not specified	OECD 201 (EU C.3)	72
sodium cumenesulphonate	Еь С 50	> 230	Not specified	EPA OPPTS 850.5400	96
3-iodo-2-propynylbutylcarbamate	Er C 50	0.022	Desmodesmus subspicatus		72

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol alkoxylate		No data available			
sodium benzoate		No data available			
sodium cumenesulphonate		No data available			
3-iodo-2-propynylbutylcarbamate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol alkoxylate	EC 10	> 1000	Activated	DEV-L2	
			sludge		
sodium benzoate	EC 50	> 100	Achromobacter	Method not given	24 hour(s)
			sp.		
sodium cumenesulphonate	Er C 50	> 1000	Bacteria	OECD 209	3 hour(s)
3-iodo-2-propynylbutylcarbamate	EC 50	44	Activated	Method not given	3 hour(s)
			sludge		

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol alkoxylate		No data available				
sodium benzoate	NOEC	10			144 hour(s)	
sodium cumenesulphonate		No data available				
3-iodo-2-propynylbutylcarbamate	NOEC	0.0084	Pimephales promelas	Method not given	35 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint I	Value	Species	Method	Exposure	Effects observed
iligi culcili(3)	LIIUDUIII	value	Opecies	MELITOU	LADOSUIC	

		(mg/l)			time	
alkyl alcohol alkoxylate	NOEC	> 0.1 - 1	Daphnia	OECD 202	21 day(s)	
			magna			
sodium benzoate		No data				
		available				
sodium cumenesulphonate		No data				
		available				
3-iodo-2-propynylbutylcarbamate	EC 50	0.05	Daphnia	Method not	21 day(s)	
			magna	given		

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol alkoxylate		No data available				
sodium benzoate		No data available				
sodium cumenesulphonate		No data available				
3-iodo-2-propynylbutylcarbamate		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
alkyl alcohol alkoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium benzoate		CO ₂ production		OECD 301B	Readily biodegradable
sodium cumenesulphonate		CO ₂ production	103 - 109% in 28 day(s)	OECD 301B	Readily biodegradable
3-iodo-2-propynylbutylcarbamate					Inherently biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol alkoxylate	No data available			
sodium benzoate	1.88	Method not given	No bioaccumulation expected	
sodium cumenesulphonate	-1.1	Method not given	No bioaccumulation expected	
3-iodo-2-propynylbutylcarbamate	2.81		Low potential for bioaccumulation	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol alkoxylate	No data available				
sodium benzoate	No data available				
sodium	No data available				

cumenesulphonate				
3-iodo-2-propynylbutylc	≥ 3.3	OECD 305	Low potential for bioaccumulation	
arbamate				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol alkoxylate	No data available				
sodium benzoate	No data available				
sodium cumenesulphonate	No data available				
3-iodo-2-propynylbutylcarbamate	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation. 20 01 30 - detergents other than those mentioned in 20 01 29.

European Waste Catalogue:

Empty packaging

Recommendation: Suitable cleaning agents: Dispose of observing national or local regulations.

Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods 14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods 14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
 Medical Devices Regulations 2002
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

non-ionic surfactants

5 - 15 %

Sodium Benzoate, Iodopropynyl Butylcarbamate

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made

available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS4538 Version: 08.0 Revision: 2023-12-12

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 7, 8, 9, 11, 12, 14, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative
- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- · H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H372 Causes damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.

- H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet