



TASKI Jontec Stride Dégraissant

Revision: 2023-07-22

Version: 02.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Jontec Stride Dégraissant

UFI: TWV1-002C-Q00D-GK71

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Floor cleaner.
For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8b_1
AISE_SWED_PW_4_1
AISE_SWED_PW_10_1
AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssebroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Irrit. 2 (H315)
Eye Dam. 1 (H318)

2.2 Label elements



Signal word: Danger.

Contains alkyl alcohol ethoxylate (C9-11 Pareth-5-10), potassium hydroxide (Potassium Hydroxide)

Hazard statements:

H315 - Causes skin irritation.
H318 - Causes serious eye damage.

Precautionary statements:

P280 - Wear eye or face protection.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyl alcohol ethoxylate	[4]	68439-46-3	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		3-10
sodium cumenesulphonate	239-854-6	15763-76-5	01-2119489411-37	Eye Irrit. 2 (H319)		1-3
potassium hydroxide	215-181-3	1310-58-3	01-2119487136-33	Skin Corr. 1A (H314) Acute Tox. 4 (H302) Met. Corr. 1 (H290)		1-3
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	[4]	120313-48-6	[4]	Skin Irrit. 2 (H315) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)		1-3

Specific concentration limits

potassium hydroxide:

- Eye Dam. 1 (H318) >= 2% > Eye Irrit. 2 (H319) >= 0.5%
- Skin Corr. 1C (H314) >= 2% > Skin Irrit. 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****Inhalation:**

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

Causes irritation.

Eye contact:

Causes severe or permanent damage.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear eye/face protection. Repeated or prolonged contact: Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

TASKI Jontec Stride Dégraissant

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
potassium hydroxide		2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	-	-	-	3.8
potassium hydroxide	-	-	-	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	-	-	-	136.25
potassium hydroxide	No data available	-	No data available	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	-	-	-	68.1
potassium hydroxide	No data available	-	No data available	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

TASKI Jontec Stride Dégraissant

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	-	-	-	26.9
potassium hydroxide	-	-	1	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	-	-	-	6.6
potassium hydroxide	-	-	1	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	0.23	0.023	2.3	100
potassium hydroxide	-	-	-	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
alkyl alcohol ethoxylate	-	-	-	-
sodium cumenesulphonate	0.862	0.0862	0.037	-
potassium hydroxide	-	-	-	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Automatic transfer and dilution	AISE_SWED_PW_8b_1	PW	PROC 8b	60	ERC8b

Personal protective equipment**Eye / face protection:**

Safety glasses or goggles (EN 166).

Hand protection:

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

TASKI Jontec Stride Dégraissant

Recommended maximum concentration (% w/w): 5

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Machine application	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Manual application by brushing, wiping or mopping					
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid

Colour: Clear , Colourless

Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol ethoxylate	> 232.2	Method not given	
sodium cumenesulphonate	No data available		
potassium hydroxide	Not applicable to solids or gases	Method not given	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	> 250	Method not given	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 60 °C

closed cup

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: >= 11.5 (neat)

ISO 4316

Dilution pH: > 11 (5 %)

ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl alcohol ethoxylate	100 Soluble	Method not given	
sodium cumenesulphonate	493 Soluble	Method not given	20
potassium hydroxide	No data available		
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Insoluble		

TASKI Jontec Stride Dégraissant

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl alcohol ethoxylate	< 10	Method not given	37.8
sodium cumenesulphonate	No data available		
potassium hydroxide	Negligible	Method not given	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	< 10	Method not given	20

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

Relative density: ≈ 1.06 (20 °C)

Relative vapour density: -

Particle characteristics: No data available.

9.2 Other information**9.2.1 Information with regard to physical hazard classes**

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
alkyl alcohol ethoxylate	LD ₅₀	1400	Rat	Weight of evidence		1400
sodium cumenesulphonate	LD ₅₀	> 7000	Rat	Method not given		Not established
potassium hydroxide	LD ₅₀	333	Rat	OECD 425		333
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LD ₅₀	> 2000	Rat	Method not given		Not established

TASKI Jontec Stride Dégraissant

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
alkyl alcohol ethoxylate	LD ₅₀	2000 - 5000	Rat	Weight of evidence		Not established
sodium cumenesulphonate	LD ₅₀	> 2000	Rabbit	Method not given		Not established
potassium hydroxide		No data available				Not established
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
sodium cumenesulphonate	LC ₅₀	> 5 (mist) No mortality observed	Rat	Read across	3.87
potassium hydroxide		No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established
potassium hydroxide	Not established	Not established	Not established	Not established
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant		Weight of evidence	
sodium cumenesulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
potassium hydroxide	Corrosive	Rabbit	Draize test	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Irritant	Rabbit	Draize test	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Weight of evidence OECD 437	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
potassium hydroxide	Corrosive	Rabbit	Method not given	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not corrosive or irritant	Rabbit	Draize test	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
sodium cumenesulphonate	No data available			
potassium hydroxide	No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising		Weight of evidence	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
potassium hydroxide	Not sensitising	Guinea pig	Method not given	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
sodium cumenesulphonate	No data available			
potassium hydroxide	No data available			

TASKI Jontec Stride Dégraissant

Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
--	-------------------	--	--	--

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol ethoxylate	No evidence for mutagenicity, negative test results	OECD 473	No data available	
sodium cumenesulphonate	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
potassium hydroxide	No evidence for mutagenicity, negative test results	Method not given	No data available	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No evidence for carcinogenicity, negative test results
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
potassium hydroxide	No evidence for carcinogenicity, negative test results
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate	NOAEL		> 250	Rat	Not known		No effects on fertility No developmental toxicity
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		No known significant effects or critical hazards
potassium hydroxide			No data available				No evidence for reproductive toxicity
Alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate	NOAEL	80 - 400		OECD 408 (EU B.26)		
sodium cumenesulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)		No effects observed
potassium hydroxide		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate	NOAEL	80		OECD 411 (EU B.28)	90	
sodium cumenesulphonate		No data available				
potassium hydroxide		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
sodium cumenesulphonate		No data available				
potassium hydroxide		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

Chronic toxicity

TASKI Jontec Stride Dégraissant

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate			No data available					
sodium cumenesulphonate			No data available					
potassium hydroxide			No data available					
Alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	No data available
sodium cumenesulphonate	Not applicable
potassium hydroxide	No data available
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	No data available
sodium cumenesulphonate	Not applicable
potassium hydroxide	No data available
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC ₅₀	5 - 7	Fish	92/69/EEC, C1, semi-static	96
sodium cumenesulphonate	LC ₅₀	> 1000	Fish	EPA-OPPTS 850.1075	96
potassium hydroxide	LC ₅₀	80	Various species	Weight of evidence	24
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LC ₅₀	> 1-10	Fish	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	5.3	<i>Daphnia</i>	92/69/EEC	48
sodium cumenesulphonate	EC ₅₀	> 1000	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48
potassium hydroxide	EC ₅₀	30 - 1000	<i>Daphnia magna</i> Straus	Weight of evidence	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC ₅₀	≤ 1	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
---------------	----------	-------	---------	--------	----------

TASKI Jontec Stride Dégraissant

		(mg/l)			time (h)
alkyl alcohol ethoxylate	EC ₅₀	1.4 - 47	Not specified	92/69/EEC	72
sodium cumenesulphonate	E _b C ₅₀	> 230	Not specified	EPA OPPTS 850.5400	96
potassium hydroxide		No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC ₅₀	≤ 1	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	RM000517/ RM002677 BASF EU RSDS 2021

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data available			
sodium cumenesulphonate		No data available			
potassium hydroxide		No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC ₅₀	> 140	<i>Bacteria</i>	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
sodium cumenesulphonate	E _r C ₅₀	> 1000	<i>Bacteria</i>	OECD 209	3 hour(s)
potassium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	15 minute(s)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate	EC ₁₀	8.983	Not specified	Method not given	21 day(s)	
sodium cumenesulphonate		No data available				
potassium hydroxide		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate	EC ₁₀	2.579	<i>Daphnia sp.</i>	Method not given	21 day(s)	
sodium cumenesulphonate		No data available				
potassium hydroxide		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	NOEC	> 0.1-1	<i>Daphnia magna</i>	Method not given	21 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available				
sodium cumenesulphonate		No data available				
potassium hydroxide		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
---------------	----------	-------	---------	--------	----------	------------------

TASKI Jontec Stride Dégraissant

		(mg/kg dw soil)			time (days)	
potassium hydroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available				

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
potassium hydroxide	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
potassium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
potassium hydroxide		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkyl alcohol ethoxylate				OECD 301B	Readily biodegradable
sodium cumenesulphonate		CO ₂ production	103 - 109% in 28 day(s)	OECD 301B	Readily biodegradable
potassium hydroxide					Not applicable (inorganic substance)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Activated sludge, aerobe	CO ₂ production	> 60% in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
potassium hydroxide					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	3.11 - 4.19	Method not given	High potential for bioaccumulation	
sodium cumenesulphonate	-1.1	Method not given	No bioaccumulation expected	
potassium hydroxide	No data available		Not relevant, does not bioaccumulate	
Alcohols, C12-15-branched and linear,	No data available			

TASKI Jontec Stride Dégraissant

ethoxylated propoxylated				
--------------------------	--	--	--	--

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	< 500		Method not given	High potential for bioaccumulation	
sodium cumenesulphonate	No data available				
potassium hydroxide	No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				Potential for mobility in soil, soluble in water
sodium cumenesulphonate	No data available				
potassium hydroxide	No data available				Low potential for adsorption to soil
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

TASKI Jontec Stride Dégraissant

• International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

non-ionic surfactants, phosphates, soap < 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1002000

Version: 02.0

Revision: 2023-07-22

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 9, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H400 - Very toxic to aquatic life.
- H412 - Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet