	ceptional orkplaces							
Product Data Sheet for 6994								
Product Information								
Product Long Code Customer Facing Code Description PDS Reference	06994000 6994 AQUARIUS* Air Care Dispe 22/07/2015	nser - White						
	Packaging Configuration							
	Duter Pack Material Paper							
Dimension								
21.20 x 12.50 x	8.70 Length x Width x	Height(cm)						
	Product	Description						
The AQUARIUS* Aircare dispenser has been created to elevate your workplace experience through user friendly programming and a minimalistic design, ensuring optimal hygiene.								
Ideal for: use with KIMBERLY-CLARK PROFESSIONAL* aircare fragrance refills to drive performance, efficiency and sustainability within your washroom.								
Available as: a modern, compact, easy to clean dispenser with no dirt traps. Suitable for KIMBERLY-CLARK PROFESSIONAL* Harmony/Energy/Joy/Fresh/Zen Aircare Fragrance refills.								
Bullet Point								
 Stylish design with Metal Flecks Programmable spray system Lockable 								
Product Specifications								
Dispensing Format Power Source Dispensing Mechanism Bar Code (Pack)	spray Battery Electronic sensor 5033848035175	Material Lock Type Bar Code (Case) Colour	Plastic key - push button 05027375047886 White					

Product Data Sheet for 6994								
International Standards and Symbols								
Marketing								
Healthy Workplace Project		ect hygiene fac * Being care home EMP creating a h sickness he	EMPLOYEE : * Health and Wellbeing of the individual * Improved hygiene facilities * Improved awareness of benefits of good hygiene * Being cared for by their employer * Reduction of illness at work and home EMPLOYER : * THE HEALTHY WORKPLACE PROJECT*, creating a healthier and more engaged workforce * Reduced sickness helps lower absenteeism * Engaged employees are more likely to "go the extra mile"			Healthy WORKPLACE PROJECT		
			Solution					
Healthier	[.] Workplace	good things PROJECT*	EVERYONE LOVES SAMANTHA`S CAKES Make sure it`s only the good things that get passed around. The HEALTHY WORKPLACE PROJECT* is a comprehensive office hygiene programme which helps engage employees and reduce sickness.					
			Trade					
Eurasian Compliar	Product nce - Declaratio	n A Certificate supports the	Eurasia Trade Agreement (Belarus/Russia/Kazakhstan), Applies to Safety Products & Dispensers/Disposers A Certificate or Declaration are available if indicated here. This supports the cross sale within these countries without extraDeclaration of Compliance for EAC			of Compliance for		
ISO 9001	This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.							
		enhance cu				ISO 9001:2008		
		enhance cu				ISO 9001:2008		
Unit Of Sale Max Weigh	-	enhance cu Case 0.67	stomer satisfaction in sup Packaging Net Wei Case Di	plier-customer relations ight(kg) 0.4 imension 14				
	t(kg)	Case	stomer satisfaction in sup Packaging Net Wei	plier-customer relations ight(kg) 0.4 imension 14	hips. 507			
Max Weight	t(kg) Material	Case 0.67	stomer satisfaction in sup Packaging Net Wei Case Di	plier-customer relations ight(kg) 0.4 imension 14	hips. 507 .3 x 10.5 x			
Max Weight Inner Pack Pallet Typ	t(kg) Material e Lx	Case 0.67 Plastic	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH	ight(kg) 0.4 imension 14 t)(cm) Layers per Pallet	hips. 507 .3 x 10.5 x	: 23.6		
Max Weight Inner Pack Pallet Typ	t(kg) Material e Lx	Case 0.67 Plastic WxH (m)	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH	ight(kg) 0.4 imension 14 t)(cm) Layers per Pallet	hips. 507 .3 x 10.5 x	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ	t(kg) Material e Lx	Case 0.67 Plastic WxH (m)	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH	ight(kg) 0.4 imension 14 t)(cm) Layers per Pallet	hips. 507 .3 x 10.5 x	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ A Product	t(kg) Material e Lx	Case 0.67 Plastic WxH (m) 1.20 x 1.00 x 1.33	stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH Cases per Layer 77 Related Products	ight(kg) 0.4 imension 14 t)(cm) Layers per Pallet	hips. 507 .3 x 10.5 x	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ A Product Code 6181	t(kg) Material e Lx \2	Case 0.67 Plastic WxH (m) 1.20 x 1.00 x 1.33	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH Cases per Layer 77 Related Products Description Dispenser For NAL* Harmony Fragrance	ight(kg) 0.4 imension 14 i)(cm) 14 Layers per Pallet 5 5 5	hips. 507 .3 x 10.5 x	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ A Product Code 6181 6182	t(kg) Material Lx Lx KIMBERLY-C KIMBERLY-C	Case 0.67 Plastic WxH (m) 1.20 x 1.00 x 1.33	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH Cases per Layer 77 Related Products Description Dispenser For NAL* Harmony Fragrance NAL* Energy Fragrance -	ight(kg) 0.4 imension 14 i)(cm) 14 Layers per Pallet 5 5 5 5 5	hips. 507 .3 x 10.5 x	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ A Product Code 6181 6182 6183	t(kg) Material klimberly-C KIMberly-C KIMberly-C	Case 0.67 Plastic WxH (m) 1.20 x 1.00 x 1.33	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH Cases per Layer 77 Related Products Description Dispenser For NAL* Harmony Fragrance NAL* Energy Fragrance - NAL* Joy Fragrance - Ref	ight(kg) 0.4 imension 14 i)(cm) 14 Layers per Pallet 5 S	hips. 507 .3 x 10.5 x	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ A Product Code 6181 6182 6183 6184	t(kg) Material e Lx 2 KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C	Case 0.67 Plastic WxH (m) 1.20 x 1.00 x 1.33	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH Cases per Layer 77 Related Products Description Dispenser For NAL* Harmony Fragrance NAL* Energy Fragrance - Ref NAL* Fresh Fragrance - Ref	ight(kg) 0.4 imension 14 t)(cm) 14 Layers per Pallet 5 S S S S S S S S S S S S S S S S S S S	hips. 507 .3 x 10.5 x	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ A Product Code 6181 6182 6183 6184 6185	t(kg) Material Lx Lx Lx KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C	Case 0.67 Plastic WxH (m) 1.20 x 1.00 x 1.33 1.20 x 1.00 x 1.33 [LARK PROFESSIO] LARK PROFESSIO] LARK PROFESSIO] LARK PROFESSIO]	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH Cases per Layer 77 Related Products Description Dispenser For NAL* Harmony Fragrance - NAL* Energy Fragrance - NAL* Joy Fragrance - Ref NAL* Fresh Fragrance - Ref	ight(kg) 0.4 imension 14 il(cm) 14 Layers per Pallet 5 5 5 5 5 5 5 5 5 5	hips. 507 .3 x 10.5 x Case	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ A Product Code 6181 6182 6183 6184	t(kg) Material Lx Lx Lx KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C	Case 0.67 Plastic WxH (m) 1.20 x 1.00 x 1.33 1.20 x 1.00 x 1.33 [LARK PROFESSIO] LARK PROFESSIO] LARK PROFESSIO] LARK PROFESSIO]	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH Cases per Layer 77 Related Products Description Dispenser For NAL* Harmony Fragrance NAL* Energy Fragrance - Ref NAL* Fresh Fragrance - Ref	ight(kg) 0.4 imension 14 il(cm) 14 Layers per Pallet 5 5 5 5 5 5 5 5 5 5	hips. 507 .3 x 10.5 x Case	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ A Product Code 6181 6182 6183 6184 6185 6186	t(kg) Material Lx Lx Lx KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C	Case 0.67 Plastic WxH (m) 1.20 x 1.00 x 1.33 1.20 x 1.00 x 1.33 [LARK PROFESSIO] LARK PROFESSIO] LARK PROFESSIO] LARK PROFESSIO]	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH Cases per Layer 77 Related Products Description Dispenser For NAL* Harmony Fragrance NAL* Energy Fragrance - NAL* Joy Fragrance - Ref NAL* Fresh Fragrance - Ref NAL* Fresh Fragrance - Ref NAL* Fragrance Variety P Spare Parts	ight(kg) 0.4 imension 14 il(cm) 14 Layers per Pallet 5 5 5 5 5 5 5 5 5 5	hips. 507 .3 x 10.5 x Case	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ A Product Code 6181 6182 6183 6184 6185	t(kg) Material Lx Lx Lx KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C	Case 0.67 Plastic WxH (m) 1.20 x 1.00 x 1.33 1.20 x 1.00 x 1.33 [LARK PROFESSIO] LARK PROFESSIO] LARK PROFESSIO] LARK PROFESSIO]	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH Cases per Layer 77 Related Products Description Dispenser For NAL* Harmony Fragrance NAL* Harmony Fragrance - NAL* Joy Fragrance - Ref NAL* Fresh Fragrance - Ref NAL* Fresh Fragrance - Ref NAL* Zen Fragrance - Ref	ight(kg) 0.4 imension 14 il(cm) 14 Layers per Pallet 5 5 5 5 5 5 5 5 5 5	hips. 507 .3 x 10.5 x Case	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ A Product Code 6181 6182 6183 6184 6185 6186 848 6185	t(kg) Material Lx Lx Lx KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C	Case 0.67 Plastic WxH (m) 1.20 x 1.00 x 1.33 1.20 x 1.00 x 1.33 [LARK PROFESSIOI LARK PROFESSIOI LARK PROFESSIOI LARK PROFESSIOI	Stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH Cases per Layer 77 Related Products Description Dispenser For NAL* Harmony Fragrance NAL* Energy Fragrance - NAL* Joy Fragrance - Ref NAL* Fresh Fragrance - Ref NAL* Fresh Fragrance - Ref NAL* Fragrance Variety P Spare Parts	ight(kg) 0.4 imension 14 il(cm) 14 Layers per Pallet 5 5 5 5 5 5 5 5 5 5	hips. 507 .3 x 10.5 x Case	23.6 s per Pallet		
Max Weight Inner Pack Pallet Typ A Product Code 6181 6182 6183 6184 6185 6186 848 6185	t(kg) Material Lx Lx Lx KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C KIMBERLY-C	Case 0.67 Plastic WxH (m) 1.20 x 1.00 x 1.33 L20 x 1.00 x 1.33	stomer satisfaction in sup Packaging Net Wei Case Di (LXWXH Cases per Layer 77 Related Products Description Dispenser For NAL* Harmony Fragrance NAL* Harmony Fragrance - NAL* Energy Fragrance - NAL* Joy Fragrance - Ref NAL* Fresh Fragrance - Ref NAL* Fresh Fragrance - Ref NAL* Fragrance Variety P Spare Parts Description	ight(kg) 0.4 imension 14 il(cm) 14 Layers per Pallet 5 5 5 5 5 5 5 5 5 5	hips. 507 .3 x 10.5 x Case	23.6 s per Pallet		

Product Data Sheet for 6994

Information							
Infofax Details	infofax@kcc.com	Websites	www.kcprofessional.co.uk				
Customer Service Number	For more information please contact Customer Service during regular office hours-0870 551 044						