### **TORNADO**



# ALKALINE DETERGENT FOR THE EXTERNAL WASHING OF CARS AND INDUSTRIAL CLEANING



- High degreasing power.
- Ideal for the external washing of cars with nebulizing systems or hydrocleaner.
- Optimal for the pre-wash of cars before acceding in the tunnel.











#### **SUGGESTIONS**

Do not let rinse the product on the surface; work possibly in the shadow. Be careful to nebulize homogeneously bottom-up.
On unheated surfaces, cool the bodywork before nebulize the detergent solution.

It is recommended to respect the use dilution.

#### **DESCRIPTION**

TORNADO is a specific product for the external washing of cars with nebulizing systems or hydrocleaner. Furthermore having excellence cleaning, sequestrating and dirt suspending characteristics, it is easy to rinse

It is ideal for the cleaning of cars.

It is recommended for the pre-wash of motor vehicles before acceding in the tunnel as well.

### **TORNADO**



# ALKALINE DETERGENT FOR THE EXTERNAL WASHING OF CARS AND INDUSTRIAL CLEANING

## PHYSICAL AND CHEMICAL CHARACTERISTICS

Aspect	Clear Liquid
Colour	Transparent blue
Odour	Light, characteristic
Specific weight	1.040 ± 0.01 g/ml
Water solubility	Complete at every ratio
рН	> 13
Chemical character	Non ionic - cationic



Moderated

#### **AVAILABLE PACKAGING**

Can of 20Kg - 016TORNTN20

#### **USE MODALITY**

#### WASHING WITHOUT BRUSHES:

dilute TORNADO at 1:25 – 1:50 with water. Spray it homogeneously and rinse it at high-pressure. In case of thick dirt, a water-based pre-wash is recommended for the removal of coarse dirt, and then nebulize the solution of TORNADO and rinse at high pressure.

## VEHICLES PREWASH AT THE ENTRANCE OF TUNNEL CARWASH:

dilute TORNADO 1:25 – 1:50 with water, nebulize homogeneously and proceed with the washing in the carwash tunnel. In case of vehicles with coarse dirt, like soil, it is indispensable rinse at high pressure before the washing with brushes, to avoid the varnish to be scratched.

#### HYDROCLEANER SUCTION WASHING:

dilute TORNADO 1:10 - 1:30 with water. Regulate the suction dosage and the thermostat to obtain water at 60-80°C. Wipe homogeneously on the surface. Rinse.

#### FOR PROFESSIONAL USE ONLY.

The product maintains its properties when properly stored in an unopened package, in a cool and dry place away from light and heat sources, at a temperature between 5°C and 35°C.

## **TORNADO**



# ALKALINE DETERGENT FOR THE EXTERNAL WASHING OF CARS AND INDUSTRIAL CLEANING

## CORRELATED PRODUCTS ACCESSORIES

Nebulizzatore 25L 01AA720001 Nebulizzatore 50L





Nebulizzatore 100L



Rev. 01 Ed. 04/019

FOLLOW US ON



